



CERTIFICATE OF TESTING

For The Account Of: **Mokum Textiles**
 98 Barcom Avenue
 Rushcutters Bay
 New South Wales 2011
 Australia
 Contact: Angela Pearson

DATE: August 21, 2007 CERTIFICATE (ORDER) NO.: 23178

CLIENT'S IDENTIFICATION: Alpacá Velvet 7624 / Ebony 082

CAL117, Section E, Part I - Upholstery Fabrics (CS 191-53) Raised Surface

Specimen	Flame Spread Warp (seconds)	With Nap (Raised Surface) FACE	Specimen	Flame Spread Warp (seconds)	With Nap (Raised Surface) BACK
1	DNI	X	1		
2	DNI	X	2		
3	DNI	X	3		
4			4	DNI	X
5			5	DNI	X

Specimen	Flame Spread Fill (seconds)	With Nap (Raised Surface) FACE	Specimen	Flame Spread Fill (seconds)	With Nap (Raised Surface) BACK
1	DNI	X	1		
2	DNI	X	2		
3	DNI	X	3		
4			4	DNI	X
5			5	DNI	X

- **DNI** - Did not ignite when exposed to test ignition source
- **IBE** - Ignited but extinguished before burning through stop cord.
- **SF** - Surface flash only; stopcord not burned & no burning/charring/fusing of the base fabric.
- **TSF** - Timed surface flash; stopcord burned, but no burning/charring/fusing of the base fabric.


Requirements: With nap - Minimum flame spread of any individual specimens shall be 7 seconds.

Requirements: Without nap - Minimum flame spread of any individual specimens shall be 3.5 seconds.

Conclusion: The above results indicate **COMPLIANCE** with the stated requirements.

I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified by California Technical Bulletin 117, Section E, Part I Upholstered Fabrics dated January 1980.

Lab Manager: Sallie Cotey


 Lab Technician: Jennifer Friend